

H& R BLOCK – HRB 1 - (NEW OFFICE/ RELOCATION)

SCOPE OF WORK

Quality Control

VERSION LOG:

Version	Date:	Revision notes:
1.1	6/2/25	Formatting

INTRODUCTION TO PROJECT:

Welcome to the “H&R Block (New Office/Relocation - One-off)” with FSU!

Our goals for this project are to collect all the information needed for our client to design new stores. FSU will be acting as the client’s eyes and ears on site. Please pay attention for items that look out of the ordinary or expensive to correct.

QUALITY CONTROL CRITICAL PROJECT INFORMATION:			
Project Fee:	Fee on Quickbase		
Turnaround/Upload Time Frame:	Time frame on Quickbase		
FSU Project Contacts			
Project Manager:	Project Manager	Project Coordination:	Project Coordinator
Project Manager Phone:	303-355-7274	Project Coordination Phone:	303-355-7274
Project Manager Email:	Project Manager’s Email	Project Coordination Email:	scheduling@fsusurveyor.com
FSU Project Escalation:	Items from Scope of Work missing from Surveyor and/or CAD Drafter, CAD Drafter Uploads incomplete, missing, and/or late.		
1. Project Manager:	Project Manager		
2. Vice President of Operations:	VP of Operations		
3. After Hours Contact:	Project Manager’s Cell Phone		
QC Responsibilities:	<ul style="list-style-type: none"> ○ Thoroughly review the Scope of Work and address any questions with the Project Manager prior to Quality Control ○ Download and review CAD Drafters AutoCAD, Field Drawings, Field Report, and Photos ○ Review Scope of Work thoroughly to make sure everything was covered and completed. ○ Make sure the latest CAD Template and layers were used, (On Quickbase) ○ Contact Project Manager with any issues or concerns ○ Upload all documentation/deliverables to QuickBase within the required timeframe, send notification to Project Manager. Note: all deliverables must be completed in full prior to upload, partial deliverable uploads will not be accepted ○ Review all Deliverable Documents for Final Deliverables ○ Enter amount of time it took to complete QC ○ Comment on Surveyor and CAD Drafter for feedback ○ In assignments, check Read for Delivery ○ Site Tab, fill in SF for site 		
GENERAL REVIEW	<ul style="list-style-type: none"> ○ Verify site address and site ID # with QuickBase ○ Verify site address with Google Maps 		

	<ul style="list-style-type: none"> ○ Verify North Arrow with Google Maps ○ Add name in QC space in title block ○ Check square footage in model space with what is shown on the title block ○ Review each sheet tab – ensure proper placement of plans. ○ Verify that all text is 1/8" on each sheet.
--	---

SURVEYOR DELIVERABLES PACKAGE:

The following items are required to be delivered to FSU:

1. AutoCAD DWG (Surveyor CAD Saved As: *HRB1_XXXXX_CityST_SurvCAD*)
 - a. Surveyor must provide a CAD Base Plan (Completed on Site) that shows all walls, half-walls, doors, windows, columns, bump outs, vertical floor changes, soffits, built in/casework and ceiling grid
 - b. Roof/Site Plan Completed in DWG
2. Field Drawings (Field Drawings Saved As: *HRB1_XXXXX_CityST_FieldDrawings*)
 - a. To include the rest of the information listed in the scope of work for Floor Plan, MEP/FFE, RCP
3. Field Report (Completed in its Entirety) (Field Report Saved As: *HRB1_XXXXX_CityST_FieldReport*)
4. Still Photos
 - a. Photo Folder naming protocol: *HRB1_XXXXX (5 digit site number)_CityST_Photos*
 - i. Photo naming protocol: *HRB1_XXXXX (5 digit site number)_###*
5. Laser Photos
 - a. Folder Naming Protocol: *HRB1_XXXXX (5 digit site number)_CityST_Laser*
 - i. Photo Naming Protocol: *HRB1_XXXXX (5 digit site number)_###*

CAD DRAFTER DELIVERABLES PACKAGE:

The following items are required to be delivered to FSU by surveyor:

The following items are required to be delivered to FSU:

1. AutoCAD DWG (CAD Saved As: *HRB1_XXXXX_CityST_FirstCAD*)
 - a. Completed CAD Drawing to include, Floor Plan, MEP/FFE, RCP, Site Plan
 - b. CAD Drafter to confirm correct Layers and Blocks are utilized
 - c. Title Block to be Filled Out in its Entirety

I. HAND DRAWINGS/FIELD DRAWINGS

<p>Extents/Column Dimension Plan <i>(QC to use this information to check CAD draft)</i></p>	<ul style="list-style-type: none"> ○ Sketch of layout of the space with overall dimensions front to back and side to side noted. If columns exist within space, Full placement, size, and spacing dimensions will be required as part of this drawing or as a separate drawing if necessary. Photos of the overall dimensions as shown on the laser are required for this plan. Information included in these field drawings is listed below.
--	--

II. DRAFTER INFORMATION

<p>Floor Plan</p>	<ul style="list-style-type: none"> ▪ Fully dimensioned plan. To include overall and incremental dimensions (Overalls should be taken in multiple areas, including the front, middle, and rear of the sales area) ▪ <u>ALL</u> Walls – location and accurate thickness, typ. all walls ▪ <u>Demising walls</u> (identify on CAD draft) ▪ <u>Load-bearing walls</u> (identify on CAD draft) ▪ Partial walls and T.O.W. notation ▪ Columns and bump-outs – show dimensions, and distance to nearest wall on two sides ▪ Doors and framed openings:
--------------------------	--

	<ul style="list-style-type: none"> - Storefront assemblies - Width and Head height AFF ▪ Windows: <ul style="list-style-type: none"> - Frame & Mullions - Sill and head height AFF ▪ Built-in Cabinetry / shelving / furniture – recessed/ anchored to the floor and/or walls. Provide size (WxHxD), AFF and exact placement. ▪ Built-up window display boxes and display platforms (exact placement, notate AFF) ▪ Finishes – floor and walls, to include millwork general location (base, chair rail, crown molding, slat walls, pegboards). Surveyor to identify flooring and material changes throughout the space ▪ Interior handrails (exact placement and notate AFF) ▪ Floor hatches (exact placement)
<p>Mechanical, Electrical, & Plumbing <i>(Will show on Fixtures, Furnishings, & Equipment Plan)</i></p>	<ul style="list-style-type: none"> ○ Mechanical - locate <u>ALL</u> mechanical elements (exact placement), to include: <ul style="list-style-type: none"> ▪ Size and height AFF of HVAC registers/diffusers, thermostats, and wall-mounted HVAC registers ○ Electrical - Exactly location (from center of object) and AFF of <u>ALL</u> recessed and surface mounted electrical elements, to include: <ul style="list-style-type: none"> ○ Timers, telephone ports, data ports, transformers, outlets, switches, sensors, blank cover plate, junction box, cameras, wall-mounted lights, and doorbell ▪ Conduit in the sales floor – provide conduit material, type, length, AFF and size ▪ Panel/breaker boxes – provide size (WxDxH), height AFF, dimension from center to nearest wall and document whether the box is recessed or surface mounted. ▪ Telephone/Data boards. Provide size (WxDxH), location and AFF. Depth of the panel is the depth of the deepest item on board ○ Fire / Life Safety (may be located on the walls and/or ceiling) - true placement (location, size and AFF) of <u>ALL</u> items, to include: <ul style="list-style-type: none"> ▪ Fire alarm pulls, fire pin (ansul) pull panel, fire strobes, fire alarm control panels, exit signs, emergency lights, sprinkler system equipment and fire extinguisher ○ Plumbing - <u>Exact placement</u> of <u>ALL</u> plumbing elements listed below: <ul style="list-style-type: none"> ▪ Toilet room fixtures, drinking fountains, clean-outs (Diameter and AFF if applies) and Shower stalls ▪ Grab bars, document distance to wall from center of flange, AFF center to floor and length ▪ Sinks – size (applies to countertop if exists), exactly location (center of sink to nearest wall), dimension from sink rim to floor and dimension of clear knee space under sink to floor ▪ Floor Drains and mop sinks – provide size (or diameter) and location within the room ▪ Exposed pipes – provide diameter, location, how far it protrudes and AFF if applies
<p>Furniture Plan <i>(Will show on Fixtures, Furnishings, & Equipment Plan)</i></p>	<ul style="list-style-type: none"> ○ Furniture: Locate only <i>HRB Furniture</i> (reception desk and tax preparation desks). ○ Not necessary to locate furniture partitions and non-HRB furniture.
<p>Reflected Ceiling Plan</p>	<ul style="list-style-type: none"> ○ <i>Surveyor to place T-Grid on base CAD</i> ○ Ceiling grid ○ Ceiling type and height in <u>ALL</u> areas ○ Exact location of ceiling transitions and height of the <u>Soffits and Headers</u> ○ Locate <u>ALL</u> recessed and surface mounted elements on the ceiling. To include: <ul style="list-style-type: none"> ▪ Light fixtures (size), pendant lights (AFF), track lights (length, number of lights), cameras, outlets & switches, speakers, HVAC registers (LxW), exhaust fans (LxW), sensors, access hatches (LxW), smoke detectors, exit signs & emergency lights, sprinkler heads (notate the distance the head protrudes from the ceiling), fire

	strobes, ceiling fans (distance from floor to light), ceiling mounted, TV's/monitors (AFF)
Above Ceiling/Structure Plan <i>(Will show as notes with Reflected Ceiling Plan)</i>	<ul style="list-style-type: none"> ○ Type of deck (if metal decking, document direction of deck) ○ Provide height AFF (min. 3 locations within the space – at <i>front, middle and rear</i>) of the elements listed below: <ul style="list-style-type: none"> ▪ Deck ▪ Beams / joists – to include spacing ▪ HVAC ducts ▪ Sprinkler lines ○ Misc. elements – document elements and their height AFF if such items would need to be removed to enable the client to raise the height of the suspended ceiling grid ○ Above grid photo array – provide a contextual photo at each location documented
Roof Plan/Site Plan	<ul style="list-style-type: none"> ○ Provide a satellite image of the roof including the parking area associated with the space/building. Identify: <ul style="list-style-type: none"> ▪ Accessible parking ▪ Accessible path of travel from accessible parking to the entrance of the survey site ▪ survey space ▪ RTU's associated with the space, to include size (WxDxH) and distance to the nearest parapet from two sides of the RTU ▪ Hatch, if applies ▪ Photo array of the roof ○ Provide detailed photos of the RTU and associated labels
Photo Key	<ul style="list-style-type: none"> ○ Site plan with photos grouped by area, elevation, or equipment. ○ Floor plan with photos grouped by area or room ○ Surveyor deliverable for photo bubble must be clear and accurate for the actual photo location. ○ Above grid plan with group bubbles ○ Roof plan with group bubbles

III. PHOTOS

Photos	<p>QC person is responsible for checking the photos to guarantee a good quality of deliverables to the client. See the requirements below:</p> <ul style="list-style-type: none"> ○ Photo resolution: 640 x 480 pixels ○ Photos to be taken in landscape format only ○ Exterior photos ARE NOT to be taken at night ○ General photo array (all surveyed spaces, floors, walls, ceilings). <ul style="list-style-type: none"> ▪ As outlined in the <i>“Stand Here Map”</i> ▪ Birds-eye photos as outlined in the <i>“Stand Here Map”</i> ▪ Provide context photo before entering a new space ▪ Detail photos of all equipment ▪ Detail photos of damaged areas ▪ Electrical panels - For each panel, provide the following photos: <ul style="list-style-type: none"> ▪ Show panel box in context ▪ Panel door closed to show its label/name ▪ Panel doors open (showing entire panel) ▪ 5-7 close-up photos showing tags, labels showing amps, volts, and schedule circuit breakers (may require several photos) ○ Exterior photos <ul style="list-style-type: none"> ▪ Three photos of storefront – to include adjacent tenants ▪ Three photos of each exposed side of the building ▪ Photograph all utilities related to the space and their tags. To include gas, water, and electrical meters.
---------------	--

	<ul style="list-style-type: none"> ▪ Photograph any items needing attention – that detract from the store appearance ○ Interior photos <ul style="list-style-type: none"> ▪ Interior photos of all equipment ▪ Photos of all phone and data boards: All phone and data equipment must be photographed, no exceptions - even if it's abandoned or in weird places. ▪ Photos of unusual conditions: Unusual conditions include ADA heads-up items, asbestos tiles, mold, mildew, sloped floors, damage to floor/wall/ceiling finishes, things that need repair or special attention, items that protrude from walls and interfere with furniture placement, stairs, power poles, etc. 'Unusual condition' photos are taken in the room in which the conditions occur and retain that location in the photo sequence – not at the end of the photos. <ul style="list-style-type: none"> ▪ Detail photos of conduit, surface-mounted elements, protrusions ▪ Photos of wall outside of restroom – showing the condition of the wall ▪ Photos of restroom door and flooring transition into restroom ○ Photo Folder naming protocol: HRB1_XXXXX (5 digit site number)_CityST_Photos ○ Photo naming protocol: HRB1_XXXXX (5 digit site number)_###
Roof Photos	<ul style="list-style-type: none"> ○ Photos completely documenting the roof conditions ○ Photos of all roof-mounted equipment and their information plates/tags
Laser Photos	<ul style="list-style-type: none"> ○ <u>Laser photos are to be delivered separately from regular site photos</u> ○ Folder Naming Protocol: HRB1_XXXXX (5 digit site number)_CityST_Laser ○ Photo Naming Protocol: HRB1_XXXXX (5 digit site number)_###

IV. FIELD REPORT	
<p>Field Report</p> <p>Quality Control/Field Report</p> <p>Quality Control/Permit Research</p>	<ul style="list-style-type: none"> ○ <u>Surveyor to fill out the Field Report in its entirety.</u> ○ <u>Field Report should be completed on-site.</u> ○ <u>"Unable to Determine" or "See hand drawing" is not an acceptable answer.</u> ○ <u>If you are unable to answer a question, provide an explanation as to why.</u> ○ <u>Contact project manager in case of examples and questions.</u> ○ Quality Control/Field Report to Review Field Report, and to complete if necessary. ○ Quality Control/Permit Research to Complete Permit Research Portion of Field Report.
Instructions	<p>The field report has five (5) tabs. Complete the field report as follows:</p> <ul style="list-style-type: none"> ○ Narrative Tab: This tab is for surveyor information only. ○ Project Contact Information Tab: Surveyor shall fill out 'Completed by:' and 'Date of physical inspection' ○ Utilities Mechanical Tab: This tab should be filled out thoroughly <ul style="list-style-type: none"> ▪ Fill out the Branch # and the site address at the top of the page ▪ Telephone service – locate demark. Ask site contact if unable to find it. ▪ Electric – Locate meter and disconnect. Provide all the information requested. ▪ Gas – Answer all questions ▪ Water – find the water meter. Open lid and take a photo of the meter and meter number. Answer all the questions in the report regarding water service. ▪ Sanitary Sewer – ask the site contact or building operations manager. ▪ Plumbing – complete this entire section. Do not leave any unanswered questions. ▪ HVAC – this information is vital to the client. The surveyor is responsible for gathering all the information requested. Tonnage and age are often overlooked

	<p>because they don't always appear on the label. If you can read the model # and serial #, you should be able to get the requested information.</p> <ul style="list-style-type: none"> ▪ RTU tonnage – the size (tonnage) of the unit is part of the model number. To find the tonnage, do a web search for the model number nomenclature for that manufacturer. The nomenclature will tell you which characters within the model number represent the tonnage and what that tonnage is. ▪ RTU – determining the age – the age is determined by the mserial number. To find the age of the unit, do a web search for the serial number nomenclature for that manufacturer. The nomenclature will tell you which characters within the serial number represent the year the unit was manufactured. The serial number may also identify the week the RTU was built as well as the plant that it was built in. <ul style="list-style-type: none"> ○ Permitting Tab: <ul style="list-style-type: none"> ▪ Fill out the Branch # and the site address at the top of the page. ▪ This tab is filled out by the FSU in-house staff. ○ HRB Site Survey Tab: <ul style="list-style-type: none"> ▪ Fill out the Branch # and the site address at the top of the page. ▪ The surveyor is responsible for filling out everything within this tab, with the exception of the items listed below: <ul style="list-style-type: none"> - "Date Requested by the CT:' or "Date Submitted to CT:' - "Estimated of General Conditions, . . ." - "Range of Magnitude above White Box" - "Based on the Range of Magnitude above, . . ." ▪ Landlord/General Building – FSU will try to collect these answers from the Landlord and provide to the surveyor. If FSU is unable to complete this task, it is the responsibility of the surveyor to contact the Landlord and document those answers in the field report.
<p>Important Field Report information – Please read thoroughly</p>	<ol style="list-style-type: none"> 1. Do not reference the AutoCAD plan – the field report is viewed independently from the CAD file. Never respond to a question with 'See Plan'. 2. Surveyor to verify that all items required by the field report to be shown on the plans, are actually shown on the plans. 3. Dimensions – feet and inches should be written as 2'-6". Inches should be written as 6". Avoid leading zeros. Exception: When the report requires a dimension and refers to the ADA standard, which is written in inches (34"), the answer may be written in all inches. 4. NA – means 'Not Applicable' Do not use this unless the question does not apply to this site. If you are unable to verify something, state why. The surveyor should be communicating with the PM to discuss items that he/she is unable to verify. 5. Make sure and answer the 'If yes . . .' and 'If no . . .' where they apply. 6. Field reports must be completed electronically, in their entirety. Be aware that if an incomplete field report is uploaded to QuickBase, the QC department will contact the surveyor and require that the report be completed and re-upload.
<p>Field Report Deliverable</p>	<ul style="list-style-type: none"> ○ Save Field Report as: HRB1_XXXXX_CityST_FieldReport

V. QUALITY CONTROL CAD

FINAL STEPS	
	<ul style="list-style-type: none"> ○ CAD Floorplan Orientation: Main entry facing right or bottom depending on space layout. ○ CAD must be saved in AutoCAD compatible format saved to version 2013. ○ Object snaps must be used. ○ Must use the correct project template and layers. ○ Door openings must be cut into walls. ○ CAD must show exterior and demising wall thickness (Be sure to note if demising wall thickness is assumed). ○ CAD must label demising walls and load-bearing walls ○ Quality Control requested to annotate the title block with the following: QC Name ○ All layouts and title blocks need to be filled out. ○ Layout Sheets turned into a single PDF, <u>HRB1 XXXXX CityST PDF</u>. ○ CAD saved as, <u>HRB1 XXXXX CityST CAD</u>. ○ Place single PDF and CAD in single folder, <u>HRB1 XXXXX CityST CADPDF</u>, zipped. ○ Review photos to make sure they are up to standards from the SOW, make sure photos are saved correctly, along with Folder and photo naming. ○ Review the field report to make sure everything is filled out, all information matches with CAD, and saved correctly, <u>HRB1 XXXXX CityST FieldReport</u>. ○ Review Photos folder, <u>HRB1 XXXXX (5 digit site number) CityST Photos</u>. ○ Upload all files to Quickbase, Final Deliverables tab, CAD/PDF, Photos, and Field Report. ○ Quickbase, Miscellaneous tab, fill out time, and Vendor comments for the surveyor and CAD Drafter. ○ Quickbase, Assignments, Mark Assignment Ready for Delivery. ○ Quickbase, Site, Fill out SF on Site Tab. ○ Email the Project Manager you are complete, and everything has been uploaded, comment on any concerns you had during QC process.

VI. TABLE SUMMARY

Summary Table ○ The following SOW tables define required elements and placements in greater detail.

	MAJOR FLOOR PLAN ELEMENTS: (REQUIRED IN SURVEYOR CAD)	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
	ALL walls and Partial Walls	✓		✓	✓	✓			-Include wall thicknesses & T.O.W. if applies -Notate all demising walls -Notate all load-bearing walls
	Bump-outs, Recesses, Niches	✓		✓	✓	✓		✓	
	Wall openings/Pass-Through/ access panels	✓		✓	✓	✓		✓	-To include Sill & Header/Soffit height
	Columns, Embedded Columns	✓		✓	✓	✓	✓		-Note dimensions -Note distance to nearest wall on two sides
	Doors/openings	✓			✓	✓			-Include Storefront assemblies -Note width & Header
	Windows	✓		✓	✓	✓		✓	-Include Frame & Mullion Details -Include Sill Height -Include Head Height
	Vestibules	✓		✓	✓	✓			
	Storefront assembly	✓		✓	✓	✓		✓	-Including mullions and glazing

	MINOR FLOOR PLAN ELEMENTS: (NOT REQUIRED IN SURVEYOR CAD)	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
FSU Default	Steps, Ramps, Stairs, Changes in Level	✓		✓	✓	✓			-Include # and height of risers -Include floor to floor heights
	Wall finishes		✓						-Indicate finishes in ALL rooms -Indicate location of material changes
	Floor finishes		✓						-Indicate ALL locations -Indicate location of material changes -Floor Hatch
	Floor hatches	✓		✓	✓				
	Baseboards		✓						-Indicate ALL locations
	Chair rails	✓						✓	-Indicate ALL locations
	Crown Moulding		✓						-Indicate ALL locations
	Interior Handrails	✓						✓	
	Built-in Cabinetry	✓		✓	✓	✓		✓	
Built-up window display boxes and display platforms	✓		✓	✓	✓		✓		

	FURNITURE:	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
FSU Default	HRB Furniture: Reception desk and tax preparation desks	✓		✓	✓	✓			Not necessary to locate furniture partitions and non-HRB furniture

	PLUMBING ELEMENTS:	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
FSU Default	Plumbing fixtures(toilet, hand sink, mop sink, utility sink, urinals, etc)	✓		✓	✓			✓	-Provide CL dim to closest wall -Provide sink AFF and clear Knee space distance to floor
	Floor drains, floor sinks	✓					✓		Provide CL dim to closest wall
	Cleanouts (floor and wall mounted)	✓					✓	✓	Provide CL dim to closest wall -Provide AFF if applies
	Exposed plumbing (stub-outs, shut-offs)	✓					✓	✓	Provide CL dim to closest wall
	Grab bars	✓		✓				✓	Provide CL dim to closest wall
	Drinking Fountains	✓						✓	Provide CL dim to closest wall
	Water heaters/Insta-Hots	✓					✓	✓	-Provide CL dim to closest wall -Provide AFF if applies
	Water meters	✓						✓	
Shower stalls	✓		✓	✓					

	ELECTRICAL ELEMENTS:	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
FSU Default	Electrical Panels	✓			✓	✓		✓	
	Electrical Meters	✓						✓	-Provide depth if SM
	Tele/Data boards	✓			✓	✓		✓	-Provide depth of the deepest item on board
	Timers	✓						✓	
	Disconnect switches	✓						✓	
	Control Panels	✓						✓	
	Key Pads	✓						✓	-Indicate type of Key pad
	Transformers	✓		✓	✓			✓	
	Outlets	✓						✓	-Indicate typ. AFF -Indicate if surface mounted (SM)
	Switches	✓						✓	-Indicate typ. AFF -Indicate if surface mounted (SM)
	Tel./Data ports	✓						✓	
	Sensors	✓						✓	
	Cameras	✓						✓	
	Conduit	✓			✓		✓	✓	
	Wall-mounted lights	✓						✓	
	Doorbell	✓						✓	-Indicate type of control panel
	Electrical boxes	✓						✓	
Blank cover plate	✓						✓		
D-marc/MPOE			✓						

	LIFE SAFETY ELEMENTS:	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
FSU Default	Fire extinguishers		✓					✓	
	Fire alarm pulls	✓						✓	
	Fire pin (ansul) pull panel	✓						✓	
	Fire strobes	✓						✓	
	Fire alarm control panels	✓						✓	
	Exit signs	✓						✓	
	Emergency Lights	✓						✓	

Sprinkler system equipment	✓		✓	✓			✓	
----------------------------	---	--	---	---	--	--	---	--

	MECHANICAL ELEMENTS:	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
FSU Default	HVAC equipment	✓		✓	✓	✓			-To include RTU's, HVAC, Condenser, etc -To include above ceiling HVAC equipment
	Compressors	✓		✓	✓				
	Evaporative coolers	✓		✓	✓				
	Gas meters		✓						
	Thermostats	✓						✓	-Indicate Typ. AFF
	Wall-mounted HVAC registers	✓			✓	✓		✓	
	Ductwork	✓		✓	✓				

	STRUCTURE PLAN / ABOVE CEILING ELEMENTS:	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
FSU Default	Structural deck		✓					✓	Provide: -Deck direction -Deck type - height AFF at 3 locations: front, middle & rear
	Beams, trusses and Joists		✓		✓	✓		✓	- Type, spacing - Height AFF at 3 locations: front, middle & rear
	HVAC- duct		✓					✓	- Height AFF at 3 locations: front, middle & rear
	Sprinkler lines		✓					✓	- Height AFF at 3 locations: front, middle & rear
	Misc. Elements		✓					✓	Document elements and their height AFF if such items would need to be removed to enable the client to raise the height of the suspended ceiling grid

	REFLECTED CEILING PLAN	Placement		Required Measurements					Notes
		Exact	General	L	W	H	DIA	AFF	
FSU Default	Ceiling heights	✓						✓	Provide ceiling ht. in all areas
	Soffits	✓		✓	✓			✓	Provide all soffit heights
	Headers	✓						✓	Provide all headers heights
	T-grid	✓						✓	Provide start dims at all grids
	Lights	✓						✓	Provide AFF to suspended lights
	Camera	✓							
	Mirror Panels	✓							
	Outlets	✓							
	Speakers	✓							
	HVAC registers (supply/return/exhaust fan)	✓		✓	✓				
	Switches	✓							
	Sensors	✓							
	Access Hatches	✓		✓	✓				
Smoke detectors	✓								

Exit signs	✓								
Emergency lights	✓								
Sprinkler heads	✓							✓	<i>Notate distance the head protrudes from the ceiling</i>
Fire strobes	✓								
Ceiling fans	✓							✓	
Ceiling mounted TV's/Monitors	✓							✓	

ROOF /SITE PLAN:	Placement		Required Measurements					Notes
	Exact	General	L	W	H	DIA	AFF	
RTU's associated with the space	✓		✓	✓	✓			<i>-Provide a satellite image.</i> <i>-Provide RTU's distance to nearest parapet walls from 2 sides</i> <i>-Provide detailed photos of the RTU and associated labels</i>
Hatch		✓						<i>Identify Hatch on the satellite image</i>
Accessible parking and accessible path of travel		✓						<i>Identify on the Satellite image:</i> <i>-Accessible parking stalls</i> <i>-Path of travel from accessible parking to the entrance of the surveyed space</i>